

Specifications

Eaton PDUMH15HVAT

Eaton Tripp Lite series ATS PDU, 1PH, 1U, 2 C14 inputs, 12ft cord, 2.4kW, 10A, 200-240V, 10 Outlets (10) C13, TAA



General specifications

PRODUCT NAME	Eaton Tripp Lite series ATS PDU
CATALOG NUMBER	PDUMH15HVAT
UPC	037332197900
PRODUCT LENGTH/DEPTH	14.45 in
PRODUCT HEIGHT	1.71 in
PRODUCT WIDTH	17.32 in
PRODUCT WEIGHT	10.32 lb
COMPLIANCES	FCC Class A RoHS CE Marked
CERTIFICATIONS	UL 60950-1 IEC/EN 62040-2 NOM GoST-R EN 55032

Physical

MOUNTING DIRECTION	Horizontal
---------------------------	------------

MATERIAL	Steel
-----------------	-------

FORM FACTOR	1U
--------------------	----

PACKAGE CONTENTS	• PDUMH15HVAT TAA-Compliant 2–2.4kW Single-Phase ATS/Local Metered PDU • (10) C14 plug lock inserts • (2) C13 to C14 power cords, 3.6 m (11.8 ft.) • Rack mounting hardware • (6) Screws • Owner's manual
-------------------------	---

OPERATING TEMPERATURE	32° to 104°F (0° to 40°C)
------------------------------	---------------------------

Electrical input

INPUT CONNECTION	C14
-------------------------	-----

CORD LENGTH	12 ft
--------------------	-------

AMPERAGE RATING	10A
------------------------	-----

ELECTRIC CURRENT - MAX	10
-------------------------------	----

PHASE	Single-phase
--------------	--------------

FREQUENCY RATING	50/60 Hz
-------------------------	----------

Resources

BROCHURES	120V Power Distribution Unit (PDU) Brochure (English)
------------------	---

	120V PDU Brochure Specifications (Spanish)
--	--

DRAWINGS	PDUMH15HVAT Submittal Drawing
-----------------	---

MANUALS AND USER GUIDES	Owner's Manual for Switched/Metered Rack PDU with ATS 933721 (Multi-Language)
--------------------------------	---

PRODUCT PAGE (WEB)	PDUMH15HVAT Tripp Lite Model Page
---------------------------	---

PROJECT NAME:
PROJECT NUMBER:
PREPARED BY:
DATE:



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2025 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

