

Specifications



Eaton SUPER7

Protect It! 7-Outlet Surge Protector, 7 ft. Cord with Right-Angle Plug, 2160 Joules, Diagnostic LEDs, Light Gray Housing

General specifications

PRODUCT NAME	Eaton Tripp Lite series Protect It surge protector
CATALOG NUMBER	SUPER7
UPC	037332095282
PRODUCT LENGTH/DEPTH	10.3 in
PRODUCT HEIGHT	1.54 in
PRODUCT WIDTH	2.72 in
PRODUCT WEIGHT	1.39 lb
COMPLIANCES	RoHS
CERTIFICATIONS	cUL Listed CSA Std. C22.2 UL 1449 UL Listed NOM
GLOBAL CATALOG	SUPER7

Product specifications

SURGE STYLE	ST - STRIP
SWITCHES	Two position on/off power switch
VOLTAGE COMPATIBILITY (VAC)	120
CIRCUIT BREAKER	15
FREQUENCY RATING	50/60 Hz
DIAGNOSTIC LED DETAILS	Built-in LEDs confirm suppressor "protection present" (green) and "grounded" (red) status
EMI / RFI FILTERING	Up to 20 dB
INPUT PLUG FEATURES	Right Angle (36D)
PROTECTION MODES	Includes full normal mode (H-N) and common mode (N-G / H-G) line suppression
RECEPTACLE COLOR	LIGHT GRAY
RECOMMENDED ELECTRICAL SERVICE	120V (110-125V)
SLOT OR HOLE MOUNT MEASUREMENT (CENTER TO CENTER)	Distance between slots = 70 mm; Distance between slot height = 24 mm
TRANSFORMER ACCOMMODATION	Transformer Accommodation
UL1449 LET THROUGH RATING	330 L-G, 400 L-N, 400 N-G
INPUT CORD DETAILS	SJT
INPUT CORD GAUGE (AWG)	14
POWER CORD COLOR	Light Gray
HOUSING COLOR	Light gray
OUTLET ORIENTATION	Single row of 5, plus 2 side mounted outlets
OUTLET SPACING	Between Standard Outlets = 29mm; Between Transformer Outlets = 48mm
OUTLETS MEASUREMENT (CENTER TO CENTER)	Between Standard Outlets = 29mm; Between Transformer Outlets = 48mm
MATERIAL	Plastic
INPUT PLUG TYPE	NEMA 5-15P
OUTPUT RECEPTACLES	5-15R
PACKAGE CONTENTS	SUPER7 Protect It! 7-Outlet Surge Protector, Light Gray Housing

Resources

BROCHURES	Surge Protector and Power Strip Specification Brochure (English)
MANUALS AND USER GUIDES	Owner's Manual for Protect It! Surge (Multi-language) Owner's Manual for Protect It! ® Surge Protectors (English)

	Owner's manual
INPUT NOMINAL VOLTAGE	120 VAC
PRODUCT FEATURES	Automatic Shut-Off Right-Angle Plug Mounting Holes or Slots Diagnostic LED(s) UL Certified
PLUG COLOR	White Blue
AC SUPPRESSION JOULE RATING	2160
AC SUPPRESSION RESPONSE TIME	< 1 ns
CORD COLOR	Gray
CORD GAUGE TYPE	• 14 gauge • SJT
MAXIMUM SURGE AMPS	144000

PROJECT NAME:
PROJECT NUMBER:
PREPARED BY:
DATE:



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2025 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

