



StructuredGround™ GB4N0016TPI-1 Grd Busbar, 16, Copper, Tin-Plated, 0.53" Stud

GB4N0016TPI-1

The GB4N0016TPI-1 Grounding Busbar is made of high conductivity copper and tin-plated to inhibit corrosion, comes pre-assembled with brackets and 600V insulators attached for a quick installation.

Specifications

Sub Brand	StructuredGround™
Material	Copper
Overall Length (In.)	24
Overall Length (mm)	609.6
Overall Width (In.)	4
Overall Width (mm)	101.6
Overall Height (In.)	2.75
Overall Height (mm)	69.9
Stud Hole Size (In.)	0.53
Stud Hole Size (mm)	13.46
Finish/Coating	Tin-Plated
Overall Thickness (In.)	0.25
Overall Thickness (mm)	6.4
Standards Met	cULus
Application	Telecom/Data Center
Product Type	Grounding Busbar
Part Features	Busbar is provided with NEMA hole pattern spacing, Made of high conductivity copper and tin-plated to inhibit corrosion, Pre-assembled with brackets and insulators attached for quick installation

Packaging Detail

UPC	07498311050
Std. Pkg. Qty.	1
Std. Pkg. Volume (cf)	0.8181
Std. Ctn. Qty.	0
Std. Ctn. Volume (cf)	0.0000