


Page 1 of 2	Fastenal Product Standard	REV-11
Date: April 30, 2021	FASTENAL	KLN.Z

K-Lock Nuts, Zinc Plated

This product standard contains the required dimensional, mechanical, performance, and chemical characteristics of the products shown in this purchase order (as applicable to the product). Unless specified below, current revisions of national or international standards shall be applicable as of the date of Fastenal's purchase order and must be adhered to in their entirety. If the order received does not meet these requirements, corrective action may be issued which could jeopardize your status as an approved supplier to Fastenal.



Nominal Size or Basic Thread Diameter	F		H		I
	Width Across Flats		Thickness		Washer Diameter
	Max.	Min.	Max.	Min.	Ref.
#4	.250	.241	.098	.087	.277
#5	.312	.302	.114	.102	.338
#6	.312	.302	.114	.102	.338
#8	.344	.332	.130	.115	.370
#10	.375	.362	.130	.115	.395
#12	.438	.423	.161	.148	.494
1/4	.438	.423	.193	.178	.494
5/16	.500	.489	.273	.258	.579
3/8	.562	.551	.337	.320	.651
1/2	.750	.736	.448	.427	.874

Specification Requirements:

- Dimensions: See Table Above
- Material: Nut: Carbon Steel
Washer: AISI 1050
- Thread Requirements: ASME B1.1, UNC & UNF, 2B
- Finish: Fe/Zn 3AN per ASTM F1941/F1941M

**RECORD OF REVISION CHANGES TO THIS DOCUMENT ARE LOCATED ON THE
LAST PAGE**

Page 2 of 2	Fastenal Product Standard	REV-11
Date: April 30, 2021	<i>FASTENAL</i>	KLN.Z

Revision Level Changes to this Document

Document Name	Revision Level	Revision Date	Rationale for Revision
KLN.Z	11	4/30/2021	Revised washer diameter tolerance to ref.

The rationale above may not include all of the changes within each revision. A complete review of the Fastenal Product Standard is required.